



Product Features

- It is a multi-process (MIG-MAG/ MMA/LIFT/TIG))
 welding machine that can operate in a single phase.
- Ideal seams for steel, stainless and aluminium welding
- Compact design suitable for 5-15 kg wire use
- Great weld superiority in thin section materials
- Capability to weld without burrs with synergetic, pulse, double pulse feature
- Able to operate with generators
- Fully functional, user-friendly control panel layout for easy setup of welding parameters.
- Portable, lightweight and durable design for construction site conditions

Extra Functions

- Thermal Protection
- Overcurrent Protection
- Overvoltage Protection
- Plastic front and rear panels
- Durable metal body

Usage Areas

- Automotive
- · Bodywork, sculpture
- Signage and advertising
- Industrial facilities
- Maintenance and repair applications
- Hobby applications etc...

















Input Voltage (V)	Cons.	Fuse (delayed action)	Open Circuit Voltage	Current Range	Du	ty Cycle (40°C)	e at	Standards	Protection Class (IP)	Insulation Class	Dimensions (L*W*H)	Weight (kg)
, ,	(kVA)	(A) [′]	(V)	(A)	%100	%60	%35		, ,		(mm)	
1 Faz 50/60 Hz 230V ± %10	9.7	42.0	63	10-210	125	160	210	EN ISO 60974-1 EN ISO 60974-10	IP 23 S	Н	410 x 210 x 440	16

STANDARD & OPTIONAL EQUIPMENTS

This Order Code Covers The Welding Machine and All of The Equipments









2020900723 1051300003

GEDİK Welding provides full support for after sales services. 1 year warranty.