

GKF-R Oven With Thermostat (1 Package) All Electrodes



Portable thermal electrode carrying and drying oven, suitable for welding electrodes that can be stored between 130°C and 100-150°C. It is most commonly used for basic electrodes.

General Data	110 Volt	220 Volt
Capacity	100bar	100bar
Height (y)	50cm	50cm
External Diameter	12,5cm	12,5cm
Heating	130°C	130°C
Operating Capacity	200W	200W
Operating Voltage	110-13 V 1ph 50/60Hz	230V 1ph 50/60Hz
Operating Current	2A	1A
Weight	2,5kg	2,5kg

Standard and Optional Equipment

6051700025 / 110 V	This Order Code Relates to All Equipment
6051700024 / 220 V	

GKF-2Y Oven With Thermostat (2 Packages) All Electrodes

Its main function is to carry in a casing up to the point of application help keeping electrodes manually at the desired temperature level between 60 and 200°C at the points of application when a power connection is available.



General Data

Capacity	200bar
Height (y)	50cm
External Diameter (g)	21cm
Internal Diameter	15cm
Internal Depth	49cm
Max Heating Temperature	60-200°C
Heat Control	Adjustable Thermostat
Operating Capacity	400W
Operating Voltage	220-240V
Operating Current	2A
Heat Insulation	Available
Weight	8kg

Standard and Optional Equipment

6051700000	This Order Code Relates to All Related Equipment
------------	--------------------------------------------------

GKF-4Y Oven With Thermostat (4 Packages) All Electrodes

Its main function is to help keep electrodes manually at the desired temperature level between 60 and 200°C at the points of application. It can easily be used with all types of electrodes.



General Data

Capacity	400bar
Height (y)	50cm
External Diameter (g)	27cm
Internal Diameter	15cm
Internal Depth	49cm
Max Heating Temperature	60-300°C
Heat Control	Adjustable Thermostat
Operating Capacity	600W
Operating Voltage	220-240V
Operating Current	3A
Heat Insulation	Available
Weight	20kg

Standard and Optional Equipment

6051700001	This Order Code Relates to All Equipment
------------	------------------------------------------