





- MIG MAG / MMA (Electric Are Welding) / TIG-Lift (Argon) multiprocess functions
- Non-spatter welding even using 25% CO2 mixture gas and gas cost advantage
- Standard programs for such as Unalloyed Alloyed Steel / Stainless / Aluminium / Copper-Brazing / Nickel / Titanium
- Unique adjustable 0.1-32 Hz double pulse frequency is standard for Al, SS and Steel Alloys
- Memory function for 100 parameters
- Easy to adjust parameters such as pre-gas/post-gas, up-slope/down-slope, initial current/final current, crater filling-are spot time etc
- When the stick out is changable and long, constant function eliminate the disadvantages
- Newly developed tunnel protection and due to the revolution control of the cooling fan according to its duty cycle or ambient air temperature, the design prevents dust fromentering the area where electronic components are installed
- Data editing / copying / transferring, using USB via machine front panel
- Unique wire feeding advantages via three wire straighteners and four feed rollers.
- Interface board is located in the machine as a standart, which provides an easy connection to PLC, Automation & Robotic Systems
- Ease of control of the machine current using a standard torch without the need for high-cost torches with special control
- Optionally, monitoring of welding data from android mobile phone, tablet or PC, graphical welder test, amount of wire consumption, working time, recording of WPS work and print out etc. Technological advantages





















Input Voltage	V	3 Phase, 50/60 Hz, 400 ± 15 V	
Installed Power	kVA	25	
Fuse (delayed action)	Α	32	
No Load Voltage	V	80	
Current Range	Α	30-550	
Current Tension Range	V	12-39	
Duty Cycle at (40°C)	%60	500	
Standards		EN 60974-1 / EN 60974-5 / EN 60974-10	
Protection Class	IP	23	
Insulation Class		H	
Dimensions (L*W*H)	mm	395 / 710 / 762	
Weight	kg	83	

WIRE FEEDER UNIT

Wire Feeder Units		CM-7403A-D	
WireTypes		Fe/FC	Aluminum
Usable Wire Diameters	Ø mm	0.8 / 0.9 / 1.0 / 1.2 / 1.4 / 1.6	1.0 / 1.2 / 1.6
Wire Feeding Speed	mt/min	22 max.	
Dimensions (L*W*H)	mm	710 / 240 / 395	
Weight	kg	17	

STANDARD & OPTIONAL EQUIPMENTS

This Order Code Covers The Welding Machine and All of The Equipments 3021000117 (Water) 3021000155 (Air)





















1051900081 1024400018

2020900683

1051300003 1045000000

2020900878

6000000441 2020900174 (Optional)

(Optional)