



**Inverter**

- Standard equipped with pulse mode integrated into the control with available “EASY PULSE” facility
- Precise and efficient TIG arc striking by high frequency
- Steady, easily targeted arc makes welding easy
- Low energy consumption and high efficiency
- Automatic compensation for mains voltage fluctuations within +%15 -%20, great voltage reserve increases ease of operation
- Digital control of all the welding parameters with the ability to store 9 personalised programs
- High performance on thin metal sheets
- Cycle and Pulse Functions improve welding productivity
- Perform very well in MMA welding, single - Phase network
- Light weight and a compact size give better reach



PoWer TIG 202 DC Pulse		TIG	MMA
Input Voltage	V	1 Phase 50/60 Hz, 230 V	
Installed Power	kVA	8.5	9.0
Fuse (delayed action)	A	20	20
Open Circuit Voltage	V	88	88
Current Range	A	5-200	5-160
Duty Cycle at (40°C)	%100	120	110
	%60	140	130
	%25	200	160 (%30)
Standards	EN 60974-1 / EN 60974-3 / EN 60974-10		
Protection Class	IP	23 S	
Insulation Class	F		
Dimensions (L*W*H)	mm	390 / 135 / 300	
Weight	kg	7.5	

**STANDARD & OPTIONAL EQUIPMENTS**

This Order Code Covers The Welding Machine and All of The Equipments  <b>3021000001</b>				
	<b>1021000001</b>	<b>2020900723</b>	<b>6051900083</b>	<b>1051300003</b>

GEDİK Welding provides full support for after sales services. 1 year warranty.